


AUTOMATED BAG PACKAGING MACHINERY

Pacemaker



Pacemaker

HEAT SEALING EQUIPMENT
BAGGING EQUIPMENT

Pacemaker Packaging Corp.

72-00 51st ROAD
WOODSIDE, NEW YORK 11377
(718) 458-1188 | (718) 458-1341
FAX (718) 429-2907



TABLE TOP JAW

TYPE BAG SEALERS

CHOOSE FROM THREE BASIC MODELS:

MODEL 214 B

(OPTIONAL BLOW-OFF REQUIRES AIR COMPRESSOR)
MOTORIZED JAW-TYPE BAR SEALER. IDEAL
FOR THERMOPLASTIC FILMS UP TO 4 MIL THICKNESSES.
FILM TRIM AND SCRAP BLOW-OFF DEVICE OPTIONAL.


MODEL 214 HW

(OPTIONAL BLOW-OFF REQUIRES AIR COMPRESSOR)
MOTORIZED JAW-TYPE HOT WIRE SEALER. HIGH SPEED
SEAL/TRIM OF POLYETHYLENE AND POLYPROPYLENE
FILMS. SCRAP BLOW-OFF MACHINE OPTIONAL.

MODEL 315

(REQUIRES AIR COMPRESSOR)
PNEUMATICALLY OPERATED JAW-TYPE
DOUBLE LINE SEALER.
HEAVY-DUTY CONSTRUCTIONS.

ALL MODEL AVAlABLE IN CUSTOM MADE WIDTHS



Pacemaker Packaging Corp.

72-00 51st ROAD
WOODSIDE, NEW YORK 11377
(718) 458-1188 | (718) 458-1341
FAX (718) 429-2907



FEATURES

CUSTOMIZE MACHINE

BAG LOADING & SEALING

- DOUBLE-WIRE (DW) SEAL INCORPORATES A ROUND WIRE TO TRIM AND A FLAT WIRE FOR INCREASED SEAL STRENGTH ENTERING HORNS CONFIGURED TO PRODUCT SIZE
- PNEUMATIC COMPRESSION PRE-HEATED SEAL WIRES
- SAFETY SWITCH
- TEFLON® ROLLER CURTAIN ASSEMBLY WICKET CLIP FOR WICKETED BAGS

CONTROL CENTER

- COMPRESSION ON/OFF SWITCH
- CONTROLS CENTRALLY LOCATED FOR CONVENIENCE AND SAFETY
- DIAL CONTROLS FOR HEAT AND DWELL TIME MANUAL CYCLE SWITCH

CYCLE RATES:

- UP TO 40 CYCLES PER MINUTE

Pacemaker Packaging Corp.

72-00 51st ROAD
WOODSIDE, NEW YORK 11377
(718) 458-1188 | (718) 458-1341
FAX (718) 429-2907



FEATURES


CUSTOMIZE MACHINE

DESIGN & CONSTRUCTION

- BUILT OF HEAVY-DUTY STEEL AND PREMIUM COMPONENTS
- COMPACT DESIGN
- LOW MAINTENANCE POSITIVE SCRAP REMOVAL
- SIMPLE CHANGEOVER BETWEEN SIZES
- ALL STAINLESS STEEL AVAILABLE
- SLIDE PLATFORM TILT ANGLE ADJUSTS INSTANTLY
- UNITIZED FRAME

ELECTRICAL REQUIREMENTS

- 110V, 1 PHASE, 5.0 AMPS, 60 HZ/220V AVAILABLE ON REQUEST




Pacemaker Packaging Corp.

72-00 51st ROAD
WOODSIDE, NEW YORK 11377
(718) 458-1188 | (718) 458-1341
FAX (718) 429-2907

UNIBAGGER II

FOR YOUR COMPANY




UNIBAGGER II

UNIBAGGER II IS PACEMAKER'S COMBINED BAG LOADING AND SEALING SYSTEM. THIS SINGLE BAG STATION IS IDEAL FOR USE WHERE TOTAL PACKAGING REQUIREMENTS CAN BE HANDLED THROUGH ONE STATION OR WHERE BAG-PACKAGING OPERATIONS ARE DECENTRALIZED.

THE BAG LOADING SECTION FEATURES SLIDE-AND-LOCK POSITIONING TO ACCOMMODATE VARIED BAG LENGTHS. THE ENTERING HORNS ARE SPECIFICALLY ENGINEERED TO THE PRODUCT'S SHAPE TO PROMOTE RAPID BAG LOADING

ONCE THE PRODUCT IS LOADED, THE **PNEUMATIC COMPRESSION PLATE** GENTLY SQUEEZES THE PRODUCT PRIOR TO SEALING THE BAG. THIS ELIMINATES EXCESS AIR FROM THE PACKAGE, ADDING TO ITS ATTRACTIVENESS. THE BAG SEALING SECTION FEATURES **RAPID ADJUSTMENT** FOR VARIED PRODUCT DIMENSIONS AND FOR THE TILT ANGLE OF THE PACKAGE SLIDE PLATFORM. THERE ARE TWO SEAL CONFIGURATIONS: THE STANDARD **SINGLE WIRE (SW)** SEALER FEATURES A ROUND WIRE FOR AN ATTRACTIVE TRIM SEAL, THE OPTIONAL **DOUBLE WIRE (DW)** SEALER INCORPORATES A FLAT WIRE FOR SEALING AND A ROUND WIRE FOR TRIMMING. UNIBAGGER II ALSO MECHANICALLY TRIMS THE BAG TOP AND PNEUMATICALLY DISPOSES OF THE WASTE ON BOTH POLYETHYLENE AND POLYPROPYLENE BAGS.





Pacemaker Packaging Corp.

72-00 51st ROAD
WOODSIDE, NEW YORK 11377
(718) 458-1188 | (718) 458-1341
FAX (718) 429-2907


UNIBAGGER II

FOR YOUR COMPANY

THE UNIBAGGER II IS ENGINEERED FOR DEPENDABLE PERFORMANCE AND LOW MAINTENANCE IN DEMANDING ENVIRONMENTS. RATES OF UP TO **40 CYCLES PER MINUTE** ARE POSSIBLE. ITS STURDY AND COMPACT UNITIZED FRAME IS **SOLIDLY BUILT OF HEAVY DUTY STEEL AND PREMIUM COMPONENTS** FOR DURABLE, LONG-LASTING PERFORMANCE AND SMOOTH, QUIET OPERATION. LIKE ALL PACEMAKER PRODUCTS, THE UNIBAGGER II BAGGER/SEALER IS BUILT WITH PACEMAKER'S ATTENTION TO **QUALITY, DURABILITY, AND DESIGN EXCELLENCE**, AND IS BACKED BY PACEMAKER'S UNSURPASSED SERVICE AND SUPPORT.



Pacemaker



Pacemaker Packaging Corp.

72-00 51st ROAD
WOODSIDE, NEW YORK 11377
(718) 458-1188 | (718) 458-1341
FAX (718) 429-2907